

Notice of Allowability

Application No.

10/713,954

Examiner

Amy J. Sterling

Applicant(s)

SEARS ET AL.

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/24/04.
2. ☒ The allowed claim(s) is/are 27-46.
3. ☒ The drawings filed on 14 November 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Notice of Allowance

This is the Notice of Allowance for application number 10/713,954 Quick Release Base and Mounting Bracket for Napkin Dispenser, filed on 11/14/03. Claims 27-46 are allowed. Claims 1-26 have been cancelled.

Terminal Disclaimer

The terminal disclaimer filed on 5/24/04 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of United States Patent No. 6,669,162 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The reason is that the prior art does not show a quick release base and bracket having a base with an upper surface and side walls extending downwardly therefrom defining a hollow cavity and a step locking process having an upper portion with a first recessed width and a lower portion with a second recessed width wherein the upper locking recessed width is smaller than the lower locking recessed width, and a plurality of projections disposed in the hollow cavity having a locking shoulder thereon each of which has a characteristic locking shoulder width, a mounting bracket having a means for securing to the countertop and a raised central locking surface provided with a moveable tongue, the tongue being provided with a step outer profile defining an outer

Art Unit: 3632

width which is less than or equal to the upper recessed width of the base and a locking width which is greater than the upper recess width of the base, the locking surface being further provided with a plurality of locking slots with open portions having widths at least as great as the corresponding characteristic widths of the locking shoulders of the locking projections of the base.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Amy J. Sterling at telephone number 703-308-3271. The examiner can normally be reached (M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the examiner's supervisor, Leslie Braun can be reached at 703-308-2156. The fax machine number for the Technology center is 703-872-9306 (formal amendments) or 703-308-3519 (informal amendments/communications). Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center receptionist at 703-308-2168.


AJS

Amy J. Sterling
6/14/04


ANITA KING
PRIMARY EXAMINER